



3.7m

INDUSTRIAL

MULTIFOLD ALUMINIUM LADDER

120^{KG}
MAX LOAD

Item No: HW0461

INSTRUCTION MANUAL

- **READ THIS MANUAL CAREFULLY BEFORE USING THE LADDER**

- **STORE MANUAL FOR FUTURE REFERENCE**

- **HIGH GRADE ALUMINIUM**

- **LIGHTWEIGHT CONSTRUCTION**

- **EASILY FOLDS TO 14 POSITIONS**

- **AUTO LOCKING HINGES**

**EASILY
FOLDS TO
14 POSITIONS**




WITH BONUS PLANKS

Under Australian and New Zealand laws, we guarantee this product is acceptable and fit for purpose.


PAGE 1

HINGE OPERATION

1. Unlock hinge by pulling lever [see pic 1] then pulling folded ladder section outward to allow section movement.
2. The hinge will automatically lock into position when opening or folding a ladder section and that position is acceptable.
3. When a hinge is locked the Locking Pin will move into the 'L' (Lock) Position.
4. Make sure all hinges are locked and ladder section does not move forward or backwards
5. Never pull on the lever or the locking pin while standing on any part of the ladder.
6. Avoid all impacts to hinge joints. Stop using the ladder if hinge joints are damaged.




Move the 'Locking Pin' into the 'O' (Open) Position by pulling the lever to allow ladder section movement.



The hinge section will snap and lock into the 'L' (Lock) Position when the ladder is in a lockable position.


FITTING PLANKS TO 3.7M HIGH MULTIFOLD LADDER

'SCAFFOLD POSITION'



SAFETY INSTRUCTIONS


RECOMMENDED POSITIONS:





SAFETY WARNINGS

PIC 2

USE THIS GUIDE TO POSITION LADDER PROPERLY



AVERAGE WORKING HEIGHT



**DO NOT OVER REACH
KEEP BODY CENTRED
BETWEEN SIDERAILS**

SAFETY WARNINGS (Cont.)

CAUTION!


1. This ladder conducts electricity. DO NOT USE WHERE ELECTRICAL HAZARDS EXIST.
2. Select the proper ladder or length to reach your desired working height.
3. Always place the ladder on a firm, level surface.
4. Make sure all locking devices are secure.
5. Keep body centred between side rails at all times.
6. Extend ladder at least 1m above the roof.
7. Do not stand over the third top rung on straight ladder and on step ladder, and not over the second top rung on the platform ladder.
8. Wear slip-resistant shoes.
9. Never apply impact load to the hinges.
10. When using the ladder in the straight configuration set the ladder at 75°. (see pic 2)
11. When used as a Double Sided Step Ladder, MAKE SURE THE LADDER IS USED IN THE FULLY OPEN POSITION ONLY.
12. Never overload the ladder above the maximum weight capacity. This ladder has a Load Rating of 120kg.
13. Maintain ladder in good working condition and clean and lubricate hinge mechanisms regularly.
14. DO NOT USE this ladder if you tire easily or are subject to fainting or dizzy spells, are using medication, drugs or alcohol, are pregnant or physically handicapped.

PLANK SAFETY

WARNING!

1. The Planks (Large & Small) can ONLY be used in conjunction with the Hurricane 3.7m Multifold Ladder. The Planks are NOT to be used on any other Ladder.
2. In the 'Scaffold Position' ALWAYS use both Planks (Large & Small). NEVER attach only one Plank. ONLY stand on the Planks in the 'Scaffold Position'. (see simplified diagram below)
3. Always attach Planks using the correct steps. (see simplified diagram below OR detailed diagram on Pg 2)
4. Ladders must be placed on a firm, level surface before Planks are attached and used.
5. Ensure Planks are fitted correctly AND Plank Clips are facing the correct way and are clipped under the correct ladder rung. (see simplified diagram below OR detailed diagram on Pg 2)
6. Never stand on Planks when they are wet or greasy. Dry Planks before use.
7. Always wear slip-resistant shoes when standing on planks.
8. Never apply impact load to the Planks.
9. The Hurricane 3.7m Multifold Ladder and Planks is intended to hold ONE PERSON.
10. The Hurricane 3.7m Multifold Ladder and Planks have a LOAD RATING of 120kg. (combined)
11. Never step outside the footprint of the Planks. DO NOT stand on the side lips of the Planks or the fold down end lips.
12. Use sensible and slow movements along the Planks. NEVER run or jump on the Planks.
13. Always look down and know where your feet are in relation to the Planks. A secondary contact point of safety using your hands to hold a fixed structure while on the Planks, is always recommended.

DIAGRAM: FITTING PLANKS



CAUTION

PLEASE ENSURE ALL PLANK CLIPS CONTACT THE LADDER AT 90° PRIOR TO USING

